

# 2

## Laying of Floor Coverings

- Grooving Machines
- Heat Welding
- Knives and Blades
- Cutting Tools
- Stretch Installation



# 2 Laying of Floor Coverings

## Work on Resilient Floor Coverings

### KFU 830 Grooving Machine

Handy grooving machine for all synthetic materials, linoleum and vinyl. Works perfectly with uneven floors and professional results are guaranteed. With adjustable lateral edge for non-slip safety pads.

Complete with metal carrying case,  
1 HM Blade 12 teeth Ø130 x 3.8 mm  
(5 1/8 x 3/16") elliptical, xtool kit

230 V 223 920 000

120 V 223 920 800

#### TECHNICAL SPECIFICATION

|                |                  |
|----------------|------------------|
| Power supply   | 230 V or 110 V   |
| Input circuit  | 830 Watt (1 hp)  |
| Revolutions    | 5.000 rpm        |
| Cutting Depth  | 0-5 mm (0-3/16") |
| Weight approx. | 4.5 kg (10lbs)   |


#### Spare grooving blades for KFU 830

HM Blade Ø 130 x 3,8 mm (5 1/8 x 5/32"), 12 teeth  
Order-No. 223 920 001

Diamond Blade Ø 130 x 3,5 mm (5 1/8 x 1/8")  
Order-No. 223 920 002

#### Spare grooving blades for KFU 800

HM Blade Ø 130 x 3,8 mm (5 1/8 x 5/32")  
Elliptical, 12 teeth  
Order-No. 223 900 002



A dust bag is not used with the KFU 830.

It is recommended to connect a vacuum cleaner to the adapter that is part of the machine.

### KFU 1000 E Grooving Machine

With main features:

- Chips removed to the rear of the machine
- Infinitely variable revolutions (8,000-15,000 rpm)
- Large dust bag is easily removable for emptying
- Variable cutting depth from 0-4.5 mm (0-3/16")

#### TECHNICAL SPECIFICATION

|                |                      |
|----------------|----------------------|
| Power supply   | 230 V or 110 V       |
| Input circuit  | 900 Watt (1.21HP)    |
| Weight approx. | 4.9 kg (10.9 lbs)    |
| revolutions    | (8.000 - 15.000 rpm) |
| cutting depth  | 4.5 mm (3/16")       |

Complete with one elliptical grooving blade  
Ø 120 x 3.6 mm (4 1/16 x 1/8") in  
carrying case, Dust bag

230 V 223 951 000

120 V 223 951 800

#### Diamond Grooving Blade For safety floorings

Ø 120 x 2.4 x 20 mm  
(4 1/16 x 1/16 x 13/16")  
Order-No. 223 950 300

HM Grooving Blade 12 teeth, elliptical  
Ø 120 x 3.3 x 20 mm  
(4 1/16 x 1/8 x 13/16")  
Order-No. 223 950 200

Ø 120 x 3.6 x 20 mm  
(4 1/16 x 1/8 x 13/16")  
Order-No. 223 951 300

Ø 120 x 4.3 x 20 mm  
(4 1/16 x 3/16 x 13/16")  
Order-No. 223 950 100



Dust Bag  
for KFU 1000E  
Order-No. 223 951 500

for KFU 1000 (previous model)  
Order-No. 223 950 007

### GROOVER Grooving Machine

Perfect turbine technology dust extraction  
3-point-support  
Adjustable roll for non-slip pads  
2-level-speed control: 14.000 + 18.000 rpm

#### TECHNICAL SPECIFICATION

|                          |                   |
|--------------------------|-------------------|
| Power Supply             | 230 V             |
| Motor Power              | 700 Watt (1HP)    |
| Weight ca.               | 6.5 kg (14.4 lbs) |
| Adjustable cutting depth | 0-4 mm (0-3/16")  |

Complete  
With carrying case and trapezoid blade  
Ø 110 x 3.5 mm (4 x 3/16"). Dust bag

230 V 223 870 000

120 V 223 870 800


HM Grooving Blades Ø110mm (4")  
Trapezoid 3.5 mm (3/16") 223 800 001

Semicircular 2.8 mm (1/8") 223 800 005

Semicircular 3.5 mm (3/16") 223 800 030

Semicircular 4.0 mm (3/16") 223 800 002

Diamond Blade Ø110mm (4")  
Semicircular 3.5 mm (3/16") 223 800 020



## Work on Resilient Floor Coverings

### Leister Hot Air Welding Gun TRIAC S



Multipurpose hot air welding gun for warming, welding, bending and shrinking thermoplastic material. Equipped with electronic control and heater tube with cooled protective tube.

#### TECHNICAL SPECIFICATION

|                |                            |
|----------------|----------------------------|
| Power supply   | 230 V or 120 V             |
| Power          | 1600 W (2.14 hp)           |
| Temperature    | 20 - 700°C (68 - 1292 °F)  |
| Airflow (20°C) | 230 l/min.                 |
| Weight approx. | 1.4 kg (3 lbs) incl. cable |

Complete in carrying case with regular nozzle)

230 V 224 818 000

120 V 224 818 800

Spare Heating Element 1550 Watt (2.2 hp)  
Plug-in, for TRIAC and TRIAC S



230 V 224 810 001

120 V 224 810 007

### Leister Welding Kit TRIAC S In systainer



Complete in systainer with

- grooving tool
- regular nozzle
- speed nozzle
- roller
- Mozart trimming knife incl 5 blades
- cleaning brush
- wire cleaning brush

230 V 224 819 000

120 V 224 819 500

### Leister Welding Kit TRIAC PID



Digitally displays current and target temperatures.

#### TECHNICAL SPECIFICATION

|                |                            |
|----------------|----------------------------|
| Power supply   | 230 V or 120 V             |
| Power          | 1600W 1600 W (2.14 hp)     |
| Temperature    | 20 - 600°C (68 -1112 °F)   |
| Airflow (20°C) | 230 l/min.                 |
| Weight approx. | 1.4 kg (3 lbs) incl. cable |

Complete in carrying case with regular nozzle)

230 V 224 813 000

120 V 224 813 800

Spare Heating Element



Plug-in, for TRIAC PID 1550 W (2.2 hp)

230 V 224 813 001

120 V 224 813 801

### Carrying Case for TRIAC S / PID / BT

Order-No. 224 819 100



### Leister Welding Kit HOT-JET S



Lightweight gun for repair work on welded joints and welding in corners, curves and confined areas.

Complete with regular nozzle 5 mm (3/16")

230 V 224 815 000

120 V 224 815 800

#### TECHNICAL SPECIFICATION

|                |                              |
|----------------|------------------------------|
| Power supply   | 230 V or 120 V               |
| Power          | 460 W (0.62 hp)              |
| Airflow (20°C) | 20 - 80 l/min.               |
| Temperature    | 20 - 600 °C (68 - 1112 °F)   |
| Weight         | 0.6 kg (1.3 lbs) incl. cable |



Heating Element 435 W (0.6 hp)

Order-No. 224 815 001

### Leister Welding Kit Hot-Jet S In systainer



Complete in systainer with

- grooving tool
- regular nozzle
- roller
- Mozart trimming knife incl 5 blades
- cleaning brush
- wire cleaning brush

230 V 224 825 000

120 V 224 825 800

### Leister Hot Air Welding Gun TRIAC BT



#### Features:

- Light and easy to handle
- Ergonomic handle for welding without strain
- Electronically protected heating element
- Integral precision nozzle
- Built-in start up protection in case of power interruption

Complete in carrying case with Speed-Nozzle 5 mm (3/16") and ULTRA Speed- Nozzle 5 mm (3/16") (for PU coated vinyl), and spare heating element

Order-No. 224 821 000

#### TECHNICAL SPECIFICATION

|              |                         |
|--------------|-------------------------|
| Power Supply | 230 V                   |
| Power        | 1600 W 1600 W (2.14 hp) |
| Temperature  | 20 - 700 °C (68-1292°F) |
| Air flow     | 230 l/min.              |
| Weight       | 1.0 kg (2.2 lbs)        |

Heating Element 230 V / 1550 W for TRIAC BT




Order-No. 224 821 001

# 2 Laying of Floor Coverings

## Work on Resilient Floor Coverings

### Leister Automatic Welder UNIFLOOR

Innovatively designed device for use on all linoleum and PVC floor coverings. With infinitely variable heating and drive and flexible wall cut-off switch.



#### TECHNICAL SPECIFICATION

|                  |                               |
|------------------|-------------------------------|
| Power supply     | 230 V / 120 V                 |
| Power consumpt.  | 2300 / 1800 W<br>(3.2/2.5 hp) |
| Temperature      | 20 - 620°C (68 - 1148°F)      |
| Connection Cable | 3 m (9'10")                   |
| Weight approx.   | 14 kg (31 lbs)                |

#### UNIFLOOR Low-Tech

- Complete with de-reeling device
- Electronic temperature control (coupler)
- 2 level air-flow switch
- Air feeder

**230V** 225 866 000

#### UNIFLOOR High-Tech

- Complete with de-reeling device
- Thermo-electrical temperature control
- Infinitely variable potentiometer air-flow control
- Current and target levels of temperature and speed display
- Adjustable automatic start-up

**230 V** 225 865 000

**120 V** 225 865 500

#### Poly-Olefin-Nozzle

**Order-No.** 225 860 100



#### Special Nozzle for PU-coated PVC

For the heat welding of PVC Floors coated with PU (Polyurethane) when using the automatic welder LEISTER UNIFLOOR.

This special nozzle positions narrowly concentrated heat streams into the center of a seam while the back-flowing air heats the sides of a seam without damaging PU-coated surfaces.



**Order-No.** 225 860 300

#### Carrying Case

for UNIFLOOR or GROOVER

605 x 486 x 312 mm

(1' 11 7/8" x 1' 7 1/8" x 1' 1/4")

**Order-No.** 223 870 001



#### Spare Parts/Special Accessories

Heating element 2100 W (3 hp)

Low Tech / Universal

**230 V** 225 860 004

**120 V** 225 860 504

High Tech

**230 V** 225 865 004

**120 V** 225 865 504



#### Spare Parts for Leister UNIVERSAL

Nozzle Shield

**Order-No.** 225 860 003

### Hot Air Shaper

For cutting grooves in combination with welding guns and nozzles

#### Hot Air Shaper

for cutting grooves into linoleum and vinyl resilient flooring

without nozzle

**Order-No.** 224 810 020

#### Spare Blade

**10 pcs.** 262 606 000



#### Hot Air Shaper

for cutting grooves into safety flooring and linoleum

without nozzle

**Order-No.** 224 800 009

#### Spare Blades (1pc.)

**Blade E3** 262 610 003



### Leister Industrial Hot Air Blower

#### ELECTRON

#### Flicker Version



#### TECHNICAL SPECIFICATION

|                         |                  |
|-------------------------|------------------|
| Power supply            | 230 V or 120 V   |
| Connection cable length | 3 m (9' 10")     |
| Temperature up to       | 650°C (1202°F)   |
| Weight ca.              | 1.6 kg (3.6 lbs) |

Complete with adjustable electronic control and heating element 3300 W (4.6 hp)

**230 V** 226 111 000

**120 V** 226 110 500

#### Spare Heating Elements

1650 + 1650 W (2.3 hp), 3 poles (Flicker Version)

**230 V** 226 111 001

3000 W (4.2 hp), bipolar (old electron version)

**230 V** 226 110 001

**120 V** 226 110 501

**Wide-End-Nozzle** 75 x 2 mm (3 x 1/16")

**Order-No.** 226 100 006

### Plastic Welding Iron

#### ALK 2/200

#### TECHNICAL SPECIFICATION

|                 |                        |
|-----------------|------------------------|
| Power supply    | 230 V or 120 V         |
| Heating Element | 200 W (0.3 hp)         |
| Blade           | 80x75 mm (3 3/16 x 3") |
| Weight ca.      | 4.2 kg (9.3 lbs)       |

**Order-No.** 226 600 000



#### Spare Parts for ALK 2/200

**Heating Blade** 226 600 001

**Heating Element 200 W**

**230 V** 226 600 002

## Work on Resilient Floor Coverings

### Standard Welding Nozzles

**Regular Nozzle**  
for Leister TRIAC

Order-No. 224 800 002



**Regular Nozzle**  
For 5 mm (3/16") welding rod  
For Hot Jet S

Order-No. 224 815 003



**Tape Nozzle**  
8 mm (5/16")  
For ColoRex®

Order-No. 224 815 002



**Speed Nozzle**  
For 4 - 5 mm (3/16")  
weldingrod

Order-No. 224 700 100



**ULTRA Speed Nozzle**  
For 5 mm (3/16") welding rod  
Specially designed for PO-, PVC,  
and PU-coated floor coverings  
and reduced and repositioned air  
slot openings.  
(See enlarged picture)

Order-No. 224 800 007



**ULTRA Nozzle with  
rounded Nose**  
for welding crownings and tire  
grooves

Order-No. 224 800 013



**PUR Pressure Roller**  
For heat welding Polyurethane  
(PU) coated PVC Floors

The PUR Pressure Roller is simply  
attached to the ULTRA Speed  
Nozzle.  
Guarantees solid seam and no  
damage to the PU coating.

Roll-Ø 25 mm (1")

Order-No. 225 810 200



### PU Welding Kit

consisting of:  
- PUR Pressure roller  
- ULTRA Speed nozzle  
- MOZART Trimming knife

Order-No. 262 637 000



### Special Welding Nozzles

**Speed Nozzle CA 72**  
with teflon coated pressure roll  
for triangular welding wire

Order-No. 224 400 330



**Mipolam-PO-Nozzle 6 E.30**  
Revised and improved in shape  
and airflow. Especially designed  
for welding PO - Floors. Also  
suitable for CV-Floorcoverings

Order-No. 224 810 030



**Wide-Slot Nozzle**  
20 mm (13/16")

Order-No. 224 800 003



**Wide-Slot Nozzle**  
40 mm (1 9/16")  
For overlay welding

Order-No. 224 800 005



**Speed Weld Nozzle**  
For wall coverings

Order-No. 224 700 300



**Bent Welding Nozzle Tip**  
150 mm (5 7/8"),angled

Order-No. 224 810 008



### Finishing Nozzles

**FIN - Nozzle** Has to be put onto the Regular Nozzle.  
Hot air blows out of two holes for easy welding in corners and curves.

Order-No. 224 810 050



**Swan-Neck-Nozzle** Fits onto the Regular Nozzle, for pressing cord  
into edges and internal corner joints

Type 1  
Order-No. 224 810 040



Type 2  
Order-No. 224 810 060



### Cleaning Brush

Order-No. 224 400 009



### Wire Cleaning Brush

Order-No. 224 400 011



Basic version

Order-No. 224 400 066



# 2 Laying of Floor Coverings

## Work on Resilient Floor Coverings

### Grooving Tools

#### Wheeled Super Groover

The Wheeled Super Groover is a box groover ideal for small and medium areas. It also works well on safety floorings.

The blade is adjustable in height to enable uniform grooving at various depths.

Complete with 5 Spare Blades

Order-No. 262 611 700



Spare Blades 10 pcs. 262 606 000

#### Groover QUICKY

with rapid-change mechanism of the blade with 4 spare blades

Order-No. 262 605 500



Spare Blades 10 pcs. 262 606 000

#### P-Type Groover

with 5 Spare Blades

Order-No. 262 605 000



Spare Blades 10 pcs. 262 606 000

#### Adjustable Groover Special

Order-No. 262 608 500



Spare Blade 1 pcs. 262 608 001

#### ELS Adjustable Groover

with 3 Spare Blades

Order-No. 262 601 000



Spare Blades 10 pcs. 262 602 000

#### Standard Grooving Tool

with 5 Blades

Order-No. 262 603 000



Spare Blades 10 pcs. 262 604 000

#### Triangular Scraper

Order-No. 262 607 000



Spare Blade 1 pcs. 262 607 001

#### Triangular Scraper

with carbide blade, sharpened on 6 sides

Order-No. 262 613 000



Spare Blade 1 pcs. 262 613 001

#### Wall Groover

For U-shaped wall grooving  
Specially good for use with thin wall coverings (e.g. showers)

Order-No. 262 629 000



Spare Blade 1 pcs 262 629 100

Use in combination with Steel Ruler  
262 612 200 (See page 73)

### Rollers

#### Corner Roller

Roll- Ø 20 mm (¾") Top quality, fitted with brass wheel

Order-No. 262 615 000



#### Teflon-Roller for Lino

Order-No. 225 810 004



#### Roller CA

Fits universal nozzle CA

Order-No. 262 618 000



#### Brass Ball

For pressing into internal curves and round joints

Ball- Ø 13 mm (½") 224 816 000



Ball- Ø 19 mm (¾") 224 817 000



#### Plane Pressure Roller

Ø 32 x 17 mm (1¼ x 11/16")  
For overlaps up to 20 mm (¾")

Order-No. 224 400 121



#### Silicon-Roller

Ø 32 x 40 mm (1½ x 2")  
For overlaps up to 40 mm (1½")

Order-No. 224 400 122



#### Steel-Roller

Ø 30 x 50 mm (1¼ x 1 3/16")  
For overlaps up to 45 mm (1¾")

Order-No. 224 400 125



#### Pressure Roller

Ball bearing, galvanized

40 mm (1½") 224 400 400



60 mm (2 3/8") 224 400 600

#### Pressure Roller

For inner angles

Order-No. 224 400 123



#### Pressure Roller

For external angles

Order-No. 262 614 000



#### Stair Tool with Roller

Suitable for various pressure applications

Order-No. 237 543 000



## Work on Resilient Floor Coverings

Welding Tools - Trimming Knives - Seam Plane - Sharpener



**MOZART Trimming Knife**  
with integrated precut slide  
complete with distance bracket  
0,5 and 0,7 mm

Order-No. 262 636 000

**Spare Parts**

Spare blade (5 pcs) 262 636 110

Distance bracket 0,5 mm 262 636 200

Distance bracket 0,7 mm 262 636 300

Leather pouch for MOZART Trimming  
Knife and spare blades

Order-No. 262 636 400



Precut with slide  
in place



Swing slide out  
for trimming cut



### Speed Trimmer MOZART

Trimming of the welding cord can now be done in an upright working position. Instead of two cutting actions (pre-cut and flush-cut) with the Speed Trimmer it can be done in one operation. The cutting principle, blade and spacer claw are identical to hand held MOZART Trimming Knife. However, the two blades are positioned exactly one behind the other in a trolley which is connected to a telescopic handle by a universal joint.

Thanks to the combined cutting process and upright stance the tool offers a great increase in productivity, especially at large-scale trimming jobs, typically in voluminous premises.



**Speed Trimmer Mozart**

with telescopic handle 262 636 550

without telescopic handle 262 636 500

Telescopic handle for Speed Trimmer

Order-No. 262 636 510



### Seam Plane

With adjustable blade  
Double cutting tool for trimming  
excess weld rods with ease and  
accuracy in one operation.

Complete with 2 HSS-Blades

Order-No. 262 626 000

Replacement Blades

2 pcs. 262 627 000



Leather pouch For quarter moon knife

Order-No. 262 624 000

### Quarter Moon Knife

Order-No. 262 621 000

With angled blade

Order-No. 262 623 000

Sharpened on one side

Order-No. 262 621 900

Seam sledge

Order-No. 262 625 000




### Trimming Tool SLIM

Order-No. 262 609 300

Spare Blades

1 pcs. 262 609 310



### Trimming Tool

For coverings with studs

Order-No. 262 609 100



### Xacto Tool With aluminium handle and E1 blade

For trimming welding rod in skirtings or cove-caps.

Order-No. 262 610 000



Spare Blades (1pc.)

Blade E1 262 610 001

Blade E3 262 610 003

Blade E2 262 610 002

Blade E4 262 610 004



### Trimming Tool RDP

For trimming welding cord in roundings, inside- or outside corners as well as for cove-base jobs.

The special blade ensures that the floor covering won't be damaged.



with 2 spare blades

Order-No. 262 635 000

Spare Blades (5 pcs) 262 635 100



### Toe-Trimming Knife

For welded cove bases

Order-No. 262 630 000

Spare Parts

Blade 262 631 000

Handle 262 632 000



### Diamond Sharpener

sharpens blades, quarter moon  
knives and other tools

Complete with wooden case

Order-No. 262 890 000



### DIA Clip

Sharpener, foldable in pocket form

Order-No. 262 891 000



### Carborundum-File

For sharpening trimming tools (Quarter  
Moon Knife, Xacto-Tool etc.)

Order-No. 262 609 101



# 2 Laying of Floor Coverings

## PVC Cold Welding

### Tube Type A: PVC Cold Welding Liquid

For welding of tight-cut PVC seams (double-cut). The incorporated metal pin enables the penetration of the welding liquid into the depth of the seam so that the entire seam is welded together.

Advantages of the welded seam:

- Waterproof, long lasting
- No shrinking and rising of the joint borders
- Hardly visible
- Shelf life: At least two years

Tube Type A - 44g (50ml)

Sufficient for approx. 20m (33 yd.)

Order-No. 262 650 000



Tube Type A - 132g (150ml)

Sufficient for approx. 60 m (65 yd.)

Order-No. 262 672 000

### Tube Type C: PVC Cold Welding Paste

For the welding of PVC flooring with seam gaps of 0.3-4 mm (up to 3/16") in repair work, PVC wall coverings and profiles, fixing carpet loops, welding PVC protective mats and foils from 0.5 mm (less than 1/16") in thickness, and repairing imitation leather seam gaps up to 4 mm (3/16").

Advantages of the welded seam:

- Waterproof, long lasting
- No rising of the joint borders
- Shelf life: At least two years

Tube Type C - 44g (50ml)

Sufficient for approx. 15 meters (16 yd)

Order-No. 262 651 000



Tube Type C - 132g (150ml)

Sufficient for approx. 45 meters (49 yd.)

Order-No. 262 673 000

### Box for dispatch / display

30 tubes of 44g (50 mm) each

Type A

Order-No. 262 650 500

Type C

Order-No. 262 651 500



### Tube Type T: PVC Cold Welding Paste

Cold welding formula for long lasting and waterproof seam sealing of PVC flooring with a polyester-fleece underlay.

- In the process of cold welding, the difference of height between seam borders is levelled out
- Can be guided easily in the seam
- The underlay prevents the product from being soaked up too easily and guarantees optimal sealing of the seam.



Tube Type T - 44g (50ml)

Sufficient for approx. 7 m (7.6 yd)

Order-No. 262 671 100

### SEAL cold welding equipment

#### Nozzle Type A

For tight-cut seams



Order-No. 262 659 000

SEAL Cold  
Welding Liquid 1L  
for Nozzle Type A



Order-No. 262 662 000

#### Nozzle Type C

For repair work



Order-No. 262 660 000

SEAL Paste 1L  
For Nozzle Type  
C and for  
Nozzle Type C  
Special



Order-No. 262 666 000

#### Nozzle Type C Special

For wall coverings and bases



Order-No. 262 661 000

#### Accessories

Cleaning Bottle  
For Nozzle Type A

Order-No. 262 670 000

Paste Remover 1L

Multipurpose cleaner for residue of dirt and glue

Order-No. 262 668 000

### Cold Welding Working Case



#### MINI

Contents:

- 1 Nozzle Type A
- 1 Nozzle Type C
- 1 Nozzle Type C special
- 1 L SEAL - Cold Weld
- 1 L SEAL - Paste
- 1 Cleaning Bottle for Nozzle A, Cleaning Pad, Welding Pattern, Work Instruction

Order-No. 262 652 000

#### MAXI

Contents:

- 2 Nozzles Type A
- 1 Nozzle Type C
- 1 Nozzle Type C special
- 1 L SEAL - Cold Weld
- 1 L SEAL - Paste
- 1 L Paste-Remover
- 1 Welding Tube Type C - 44g (50 ml)
- 1 Cleaning Bottle for Nozzle A, Cleaning Pad, Welding Pattern, Work Instruction

Order-No. 262 654 000



## PVC Cold Welding

### Three-Step Box

Successful sealing of PVC in three steps

Plastic case complete with:

- Flipper Safety Knife (1pc. with box)
- Straight H/D blades (20 pcs., in dispenser)
- Hooked blades (20 pcs., in dispenser)
- Wallpaper and textile cutter (1pc.)
- Spare blades, circular (5pcs.)
- Seam roller (wide, 1pc.)
- Adhesive tape (1 roll, 30 mm x 50 m (1 3/16" x 55 yd))
- Cold Weld Type A (1 tube 44 g ( 50 mL))
- Cold Weld Type C (1tube 44 g (50 mL))
- Cold Weld Type T (1 tube 44 g (50 mL))



Order-No. 262 653 000

#### Special Adhesive Tape

30 mm x 50 m (1 3/16" x 55 yd) for cold welding (thermo-stable up to 80°C ( 176°F))

Pack with 4 rolls 262 690 000

#### Step 1


Apply adhesive tape to tightly cut seam. Use seam roller to press it down.



#### Silicone Seam Roller (Wide)

Ø 32 x 40mm (1 ¼ x 1 ½ ")

Order-No. 224 400 122



#### Step 2

Guiding the wallpaper cutter in the seam, safely cut the adhesive tape along the seam area.



#### Flipper 3000 Safety Knife

delivery in plastic-holster without blades in blade chamber

Order-No. 262 033 000



#### Wallpaper and Textile Cutter

Order-No. 262 040 500



#### Step 3

Guiding the tube nozzle deep in the seam, apply the cold weld so that it covers the adhesive tape to a width of approximately 5 mm (3/16").

Remove the adhesive tape after approximately 10 minutes.

The result is a waterproof and nearly invisible seam.



# 2 Laying of Floor Coverings

## Knives and Blades

Flipper 3000  
Safety Knife

**Flipper3000**



Delivered in plastic holster  
without blades in chamber

Order-No. 262 033 000

Plastic holster, black

Order-No. 262 010 001

Empty blade chamber, black

Order-No. 262 033 096

HARLEKIN  
Safety Knife

Delivered in plastic holster  
without blades in chamber

**HARLEKIN**



Red 262 091 000



Yellow 262 092 000



Blue 262 093 000



Green 262 094 000



Silver 262 096 000

Dispenser, empty, silver

Order-No. 262 059 000



Dispenser, empty, red

Order-No. 262 059 400



Empty blade chamber



Opening of the blade chamber



Insertion of the new blade.



The blade chamber is securely locked and the knife is ready for use.

GREEN KNIFE  
Safety Knife

**GREEN KNIFE**



Delivered in plastic holder and green box  
with 20 straight H/D blades.

Order-No. 262 040 000

Plastic holster, green

Order-No. 262 040 001



GREEN KNIFE  
Display Box

Contents:

15 GREEN KNIVES, each complete with  
GREEN BOX with 20 straight H/D blades

Order-No. 262 040 120



Flipper 3000  
Display Box



Contents:

15 Knives in plastic holster  
without blades in chamber

Order-No. 262 033 120

HARLEKIN  
Display Box



Contents: 15 Knives in red, yellow, blue,  
silver, green in plastic holster without  
blades in chamber

Order-No. 262 059 120

## Knives and Blades

**Original GREEN BOX blades**  
Ice hardened, 0,65 mm (<1/16"),  
Grade 1A quality in eco-friendly  
plastic dispenser.



fits for safety knives  
Flipper, Harlekin,  
Green Knife

Don't dispose of the used blades.  
Put them back in the GREEN BOX.



Pack of 5 dispensers.

Each dispenser contains  
20 blades (100 blades total)

**Straight H/D blades 50 mm (2")** 262 035 500

**Straight H/D blades 60 mm (2 3/8")** 262 038 500

**Hooked blades** 262 036 500

**Deep hooked blades** 262 037 500

**Dual edge sharpened blades** 262 034 500

**Concave blades** 262 039 500




### Titan-coated GREEN BOX Blades

The titan coating ensures the blade has  
a longer life, making you have to  
change it less often.

The GREEN BOX System is  
considered the quickest ever  
blade-change system.

The ice-hardened steel from  
Sweden is titan coated and  
sharpened at three angles.  
The blades come in a eco-  
friendly dispenser.



fits for safety knives  
Flipper, Harlekin,  
Green Knife

Pack of 5 dispensers.  
Dispensers contain 20 blades.  
(100 blades total)

**TITAN-Blades, straight**  
Order-No. 262 035 300

**TITAN-Blades, hooked**  
Order-No. 262 036 300

**TITAN-Blades, deep hooked**  
Order-No. 262 037 300



### GREEN KNIFE Safety Knife For slotted Blades (USA Style)



Complete with plastic holster and  
GREEN BOX with 20 slotted blades

Order-No. 262 070 000

Extra-sharp blades with 4  
usable edges

### Spare Slotted Blades

Pack with 5 GREEN BOX dispensers  
(total of 100 blades)

Order-No. 262 048 500



### GREEN KNIFE Accessories



**Saw Blade for wood** 228 870 001

**Saw Blade for metal** 228 870 002

**Wallpaper/Textile-Cutter** 262 040 500

**Glass/ Tile Cutter** 262 040 600

**Deburring Tool** 262 040 400

**Oil Bottle 5 ml** 262 040 450



### Case-Set Flipper 3000

**Contents:**  
Flipper 3000 - Knife,  
5 Straight - , 5 Hooked Blades  
1 Saw Blade for wood,  
1 Saw Blade for metal  
1 Wall Paper Cutter  
1 Glass Cutter

Order-No. 262 033 900



### Leather Knife Sheath

Suitable for Flipper knives,  
SILVER knives, GREEN knives  
or HARLEKIN knives  
(Knife and holster not included)

**To hold 1 knife**  
Order-No. 262 040 017

**To hold 2 knives**  
Order-No. 262 040 018



# 2 Laying of Floor Coverings

## Knives and Blades

### DOLPHIN® Safety Knife

One of the most popular professional safety knives for the cutting of carpet, pvc, underlay and other flooring material. With integrated blade chamber. Save storage in plastic holster.

Delivered in plastic holster without blades.  
Order-No. 262 010 200



### MARLIN Safety Knife

The body of the knife, which is designed in the shape of a fish, can hold up to 10 straight and hooked blades.


Delivered in plastic holster without blades.  
Order-No. 262 010 600



### Universal Knife

With 1 hooked and 3 straight blades

Order-No. 262 000 000



### Universal Knife

Light version, shrink wrapped

Order-No. 262 012 000



### Skin-Pack

With 5 straight blades 262 007 000



With 5 hooked blades 262 008 000



### Original-SCHILLER Knife

Order-No. 262 019 000



### Interlock-Knife

Order-No. 262 029 000



### STANLEY-Knife No. 199

Order-No. 262 015 000



### OLFA Cutter Knife

In metal housing, with 2 snap-off blades

Order-No. 262 020 700



### ASSIST Cutter Knife

Hard rubber ergonomic handle guarantees secure handling and accurate cutting. With 3 snap-off blades 18 mm (3/4")

Order-No. 262 022 800



### L-17 Cutter Knife

Heavy duty, ergonomic safety knife with 2 spare blades. Holds up to 8 blades

Order-No. 262 022 500



### L 2000P Deluxe Cutter

Heavy Duty metal finish with 2-blade cartridge Comes with 2 blades

Order-No. 262 022 000



## Snap off Blades for Cutting Knives + Perfect Cutter

### Flipbox

With 10 snap off straight blades

18 mm (3/4") 262 020 100



### Flipbox

With 10 snap off hooked blades

18 mm (3/4") 262 023 100



### Snap off blades, straight 18 mm (3/4")

Dispenser contains 10 blades

Pack of 5 dispensers = 50 blades

Order-No. 262 020 350

Pack of 10 dispensers = 100 blades

Order-No. 262 020 400



### Titan-coated snap off blades 18 mm (3/4")

Pack of 10 dispensers = 100 blades

18 mm (3/4") 262 030 300



### Snap-off straight blades 9 mm (3/8")

Fit with 10 blades

Order-No. 262 021 501

## BRILLANT

### BRILLANT Blades

Ice hardened, 0.65 mm (<1/16"), Grade 1A quality in dispenser.

Pack of 10 dispensers, Each dispenser contains 10 blades. (100 blades total)

Straight H/D Blades 262 035 200

Hooked Blades 262 036 200

Deep Hooked Blades 262 037 200



### Industrial Blades

Pack of 10 dispensers = 100 blades

0.3 mm (<1/16") 262 110 000

0.4 mm (<1/16") 262 120 000



### Original MOZART Blades

Ice hardened, 0.65 mm (<1/16"), Grade 1A quality in dispenser

Pack of 10 dispensers, Each dispenser contains 10 blades. (100 blades total)

Straight H/D Blades 262 001 500

Hooked Blades 262 003 500

Hooked Blades, XL 262 004 500



## Cutting of Resilient & Textile Floor Coverings

**Lino-Edge-Trimmer** For pre-cutting factory edges of linoleum (12 mm)

Order-No. 262 415 000

Special Version, 25 mm cut

Order-No. 262 415 500

Spare Blades

5 Blades 262 415 001

**Mittag-Seam Cutter**

Complete with 10 Blades

Order-No. 262 101 000

Spare Industrial Blades

Pack of 10 dispensers = 100 blades

0.3 mm (<1/16") 262 110 000

**Lino Plane**

Order-No. 262 413 000

Spare Blades

1 pcs. 262 414 000

**LINOCUTTER**

Cutting depth and cutting width are infinitely adjustable.

Straight Blades for scribing and hook blades for cutting of thin coverings.

Works with standard blades, which saves a lot of cost and pays for the tool over time.

Order-No. 262 412 500

**LINOCUT**

**Seam-Cutter For PVC, Linoleum and Needle Punch**

- Blade adjustable
- For use in both directions
- Cuts from wall to wall
- Cuts the top sheet

Order-No. 262 412 000

Spare Blades

57 E (10 pcs.) 262 021 000

**Special Accessories**

Guide for seam cutting, e.g. next to a skirting board

For needle punch 262 412 100

for Cove Base 262 412 200

For Edge Cutting 262 412 300

**Acrylic Seam Cutter**

Seam cutter for cutting carpets along the ridges. Also suitable for double cutting.

Order-No. 262 254 600

Spare Slotted Blades

Pack with 5 GREEN BOX dispensers (total of 100 blades)

Order-No. 262 048 500



Due to the transparent casing, the cut seam remains visible so that it can be carried out with maximum accuracy. Recommended by leading carpet manufacturers.

**Carpet Cutter** with hold-down slide, for textile floor coverings with foam backing



Complete with 10 two-hole blades  
Order-No. 262 254 000

Spare Two-Hole Blades

10 pcs. 262 255 000

**Carpet Cutter**

For textile floor coverings with jute back



Complete with 10 spare blades

Order-No. 262 250 000

Spare Industrial Blades

Pack of 10 dispensers = 100 blades

0.3 mm (<1/16") 262 110 000

**Mittag Seam Cutter**

ideal for woven or tufted carpets



Complete with 10 spare blades

Order-No. 262 250 100

Spare Industrial Blades

Pack of 10 dispensers = 100 blades

0.3 mm (<1/16") 262 110 000

**Tapicut**

Carpet Cutter



Order-No. 262 251 000

Spare Blades

12 pcs. 262 252 000

**Loop Pile Cutter**

For textile backed carpet



Complete with guiding rail and 2 spare blades


Order-No. 262 250 500

Spare Slotted Blades

100 pcs 262 048 500

**Strip Cutter**

Adjustable from 45 to 100 mm (1 3/4 - 4")



Order-No. 262 266 000

Spare Industrial Blades

Pack of 10 dispensers = 100 blades

0.4 mm (<1/16") 262 120 000



**Strip Cutter**

For strips from 30-140 mm (1 9/16") (1 3/16 - 5")

Order-No. 262 273 000

Spare Two-Hole Blades

10 pcs. 262 255 000

**Lino- and PVC-Strip Cutter**

For the cutting of cove bases, strip patterns and stair work.



For Strip widths 3-20 cm (1 3/8 - 8")

Order-No. 262 246 000



For strip widths 6-30 cm (2 3/8 - 12")

Order-No. 262 247 000

Spare Blades, large and small, 5 pairs

Order-No. 262 247 100

Spare Web

Order-No. 262 246 002

Reversion Set for blades

Order-No. 262 247 200

Spare Blades for Lino Strip Cutter VARIO

Pack of 20 pcs. 262 407 010

# 2 Laying of Floor Coverings

## Cutting of Resilient & Textile Floor Coverings



### Tip Top Seam Cutter


Cut perfect seams for all flexible and textile floor coverings with the patented twin-cut method. (Euro-Patent 1060848)

This type of seam cutter is guided on ball bearings within a parallel guiding rail in order to ensure an absolutely straight cut..

The result is a superbly accurate and closed seam that is almost invisible. The integral knee sledge stabilizes the whole working area and guarantees a good working position.

#### The most important advantages at a glance:

- Cuts from wall to wall without interruption
- Material thickness does not affect precision
- Much quicker than conventional methods
- No costly complaints due to untidy seam cuts
- No shifting or moving within the seam area due to the guided cutting sledge



Basic model consists of :  
Guiding Rail 2m (6' 7"),  
Cutting Sledge,  
Knee Sledge,  
Carrying Bag and Transport Securing  
Devices

Order-No. 262 289 000



#### Accessories



#### Back Square (pair)

For strip cutting, strip width from  
4.5 - 30 cm (2" - 12")

Order-No. 262 289 100



#### Threshold Rail

Length 70 cm (2' 3 1/2")

Order-No. 262 289 400



#### T - Stud

For rectangular cutting  
Length 60 cm (1' 11 9/16")

Order-No. 262 289 200



#### Lino - Guide

By using clamps, the guide is  
screwed onto the Threshold Rail.

Complete with fixing squares

Order-No. 262 289 500



### Perfect Cutter

Edge-cutting tool for textile, PVC and CV Coverings

Special installation tool for perfect edge-cutting due to angled blade position.

Adjustable height to match the thickness of the floor covering and adjustable cutting-depth ensure that only the covering is cut and not the sub-floor. This helps to reduce blade consumption.

Complete with 10 hooked and 10  
straight Perfect Cutter snap-off blades

Order-No. 262 020 900



### Base Edge Trimmer

Order-No. 262 259 000

#### Spare Blades

Straight blades, 10 pcs. 262 260 000

Hooked blades, 10 pcs 262 261 000



### Circle Cutter

Ø 40 - 210 mm (1 9/16" to 8 1/4")

Order-No. 262 262 000

#### Spare Blades

SB pack, 6 pcs. 262 262 002



### DE LUXE Circle Cutter

Ø 30 - 160 mm (1 3/16" to 6 1/4")

Order-No. 262 265 000

#### Spare Blades

SB pack, 5 pcs. 262 265 002



### PROFI Circle Cutter

Secured by vacuum cups, enabling fast radius adjustment. Scribe or cut, depending on the depth setting. A router is attached to the connector for parquet or laminate flooring.

Comes with a Plexiglass plate, extending to  
130 cm (4'3 1/4") radius and transport case

Order-No. 262 287 000

#### Spare Blades

SB pack, 6 pcs. 262 262 002



#### Accessories

Extension rail up to 5 m (5 1/2 yd.)

Order-No. 262 287 100

#### Connection for router

Order-No. 262 287 200

#### Mount

For adding a router

Order-No. 262 287 300



#### Adaptor for corner and wall radius

Order-No. 262 287 400



## Laying Aids

### MAGNUM Cutting Guillotine

Best for cutting laminate flooring, pre-finished parquet, design flooring such as Amtico, Scala, PVC, cork tiles, etc. Improved version with integrated laser cutting line.

Max cutting height up to 24 mm (1")

Cutting Guillotine MAGNUM available in three cutting lengths

- MiniMagnum I33 - 33 cm (13")
- Magnum I50 - 52 cm (20 1/2")
- Magnum RCT - 75 cm (26")



Improvements to the new I-series:

- Reduced weight
- Better stability via twofold I-profile
- Equipped with large premium quality knife
- Automatic safety lock for lever

#### MINI MAGNUM I-Series 33

Cutting length 33 cm (13")  
Weight 16,7 kg (37 lbs)  
Order-No. 222 421 000

#### MAGNUM I-Series 50

Cutting length 52 cm (20 1/2")  
Weight 19 kg (42lbs)  
Order-No. 222 422 000

#### RCT-series

Great for cutting wider "soft tile" products up to 1meter.

Lightweight and easy-to-handle, with smooth rollers for transporting on the job site.

- Fixed Fence for straight cuts
- Locking Angle Guide for 45° cuts
- Easy to use Safety Lock



#### MAGNUM RCT 76 cm

Cutting length 76 cm (29")  
Cutting depth 18 mm (3/4")  
Weight 19 kg (42 lbs)  
Order-No. 222 423 000

Spare blades available in 3 versions

Spare Blades, X-Series - Height 35 mm  
Cutting Length 33 cm (13")  
Order-No. 222 426 001

Cutting Length 52 cm (20 1/2")  
Order-No. 222 427 001

Cutting Length 66 cm (26")  
Order-No. 222 427 501

Spare Blades, L-Series - Height 42 mm  
Cutting Length 33 cm (13")  
Order-No. 222 426 002

Cutting Length 52 cm (20 1/2")  
Order-No. 222 427 003

Cutting Length 66 cm (26")  
Order-No. 222 427 502

Super Blade, L-Series - Height 42 mm  
for parquet and wooden boards  
Cutting Length 33 cm (13")  
Order-No. 222 426 050

Cutting Length 52 cm (20 1/2")  
Order-No. 222 427 050

Cutting Length 66 cm (26")  
Order-No. 222 427 550

Spare Blade RCT-Series  
Cutting Length 76 cm (26")  
Order-No. 222 423 001



### Accessories for all Magnum guillotines

Blade-fitting aid  
Order-No. 222 426 003

Grindstone-set  
Order-No. 222 426 004



Power Lever  
Extended lever for thicker materials  
Order-No. 222 426 010



Universal angle  
With parallel guide  
Order-No. 222 426 020

Transport Rollers  
for Magnum I-Series  
Order-No. 222 421 005

### Tile Cutter, large

For cutting rubber, hard and soft PVC and Amtico  
Max. Cutting Width: 61 cm (24"),  
Cutting Capacity: 6 mm (1/4")

Complete with special blade  
Order-No. 262 249 500

Spare Parts  
Upper blade 262 249 501

Lower blade 262 249 502



### Tile Cutter IDEAL

Cutting length 710 mm (2'4")

Order-No. 659 000 000

#### Spare Parts

Special material blade  
Complete with cutting guide  
Order-No. 659 000 050

#### Accessories

Adaptor for 45° guide  
Order-No. 659 000 500



### PVC Edge - Trimmer

For the production of a 25 degree mitre at PVC - edges

Complete with 6 spare blades  
Order-No. 659 100 000

Spare Blades  
SB pack, 6 pcs. 262 262 002



# 2 Laying of Floor Coverings

## Measuring Technology

### MESSFIX Standard

A reliable telescopic ruler made of anodized rectangular aluminum sections. Measurements shown as a read-out in the window at the bottom.

Measuring Range up to 3 m (9' 10")  
Retracted Range Length 0.7 m (2' 3 1/2")

Order-No. 270 521 000

Measuring Range up to 4 m (13'1")

Retracted Range Length 0.86 m (2'10")

Order-No. 270 522 000

### Accessories

Case 3 m (9' 10") 270 521 010

Case 4 m (13'1") 270 522 002



### Measuring Tape KDS

5 m (16'8"), 22 mm (7/8") 262 480 000

5 m (16'8"), 25 mm (1") 262 481 000

7,5 m (8.2 yd.), 22 mm (7/8") 262 482 000



### Tape Popular

5 m (16'8"), 19 mm (3/4") 262 483 000

8 m (8.7 yd.), 25 mm (1") 262 484 000



### Fibron Tapes

10 m (11 yd.) 262 418 200

30 m (33 yd.) 262 418 300



### Chalk Line

30 m (33 yd.) 262 420 000

Chalk Refill - bottle, 230 gr (8 oz)  
White 262 421 000


Blue 262 422 000



### Folding Rule

Plastic, unbreakable  
Length 2 m (6' 6 3/4")

Order-No. 262 417 000



### Corner Template

For precise cutting of inside- and outside corners for PVC or Linoleum Installations.

Enables for a perfect result of corners and edges of cove base.



Comes with left and right side template

for 60 mm (2 3/8") cove base height

Order-No. 262 147 000

for 100 mm (4") cove base height

Order-No. 262 148 000



### Templates for Wall Profiles

Radius of 25 mm (1") 262 144 000

Radius of 50 mm (2") 262 145 000



### Mitre-Template 45°

30x10 cm (11 3/4 x 4") 262 146 000





## Measuring Technology

**DISTO Laser Rangefinder** For measuring distances, areas and volumes; accuracy  $\pm 3\text{mm}$  (1/8")  
All models are fitted as follows:- Rainproof/ dustproof (in accordance with IP54) - Illuminated LED display - Complete with holster and batteries

### DISTO D2

**Precise measuring - fast and simple - fits in any pocket**

The small and handy basic version was specifically designed for interior applications.



Includes holster and batteries.  
**Order-No. 270 516 500**

| TECHNICAL SPECIFICATION  |                                      |
|--------------------------|--------------------------------------|
| Range                    | 0.05 - 60 m (2"-65yd)                |
| Accuracy of measurement  | $\pm 1.5\text{mm}$<br>(1/16")        |
| Dimensions               | 111x43x23mm<br>(4 1/3 x 1 3/16 x 1") |
| Battery                  | 2 x AAA                              |
| Weight (incl. batteries) | 100 g (5.46oz)                       |

### DISTO D3a

**absolute precision – even over obstacles**

The large, illuminated display shows the measurement results and supplementary information clearly and legibly.

The robust housing provides excellent protection against splash water and dust, while the softgrip surface means it is held securely.



Includes holster, hand strap, target and 2 x 1.5V AAA batteries.  
**Order-No. 270 517 100**

| TECHNICAL SPECIFICATION |                                    |
|-------------------------|------------------------------------|
| Range                   | 0.05 - 100m (2"-109.36 yd)         |
| Accuracy of measurement | $\pm 1.0\text{mm}$<br>(1/32")      |
| Display                 | auto lighting                      |
| Inclinometer            | angles up to $\pm 45^\circ$        |
| Dimensions              | 127 x 49 x 27,3 mm<br>(5 x 2 x 1") |
| Batteries               | 2 x 1.5VAA                         |
| Weight                  | 149 gr (5.25 oz)                   |

### DISTO D5

**First Laser Distance Meter with digital Pointfinder (4x zoom), large 2.4" color display and  $\pm 45^\circ$  tilt sensor**

The integrated digital Pointfinder with a 4x zoom and 2.4" color display makes finding the target at long distances much easier. Its high resolution capability provides a sharp, crystal-clear image, which allows measurements to be taken even in glaring sunshine.

The Leica DISTO™ D5 is designed with many functions and features to make measuring easier, particularly when you are working outdoors.



Includes holster, hand strap, target and 2 x 1.5V AAA batteries.  
**Order-No. 270 515 100**

| TECHNICAL SPECIFICATION |   |
|-------------------------|---|
| Range                   | 0.05 - 100m (2"-109.36 yd)                    |
| Accuracy of measurement | $\pm 1.0\text{mm}$<br>(1/32")                 |
| Dimensions              | 143,5 x 55 x 30 mm<br>(5½ x 2 3/16 x 1 3/16") |
| Weight, incl. batteries | 195 gr (6.87 oz)                              |

further models on request

### Trotec BD15

**Fast measurements with extreme precision**

You can even measure distances in dark rooms just like you do when the sun is shining – simply switch on light of the big backlit multi-line display.



Especially designed for the indoor use and due to IP 54 rating it's even dust and splash water protected.

| TECHNICAL SPECIFICATION  |  |
|--------------------------|--|
| Range                    | 0,05 m - 50 m (2" - 54.68 yd)                |
| Accuracy of measurement  | $\pm 1,5\text{ mm}$<br>(1/16")               |
| Dimensions l x w x h     | 28 x 48 x 115 mm<br>(1 1/8 x 1 7/8 x 4 1/2") |
| Weight (incl. batteries) | 135 g (0.3 lbs)                              |

Includes holster, hand strap, target and batteries.

**Order-No. 270 518 500**

### X2 Crossline Laser

**Self-levelling line laser**

- Long life even in damp or dusty work surroundings
- Diodes are protected from damage during transportation
- No time consuming calibrations and settings needed
- Can be used on tripod



| TECHNICAL SPECIFICATION |   |
|-------------------------|---|
| Range                   | r = 15 m (16yd)                           |
| Operating temperature   | 0 bis +40°C<br>(32-104°F)                 |
| Accuracy of measurement | max $\pm 1.0\text{ mm}(1/32")/m$ (0.057") |
| Dimensions              | 120 x 65 x 105 mm<br>(4 ¾ x 2 ½ x 4 1/8") |
| Batteries               | 2 x 1.5VAA                                |
| Shelf life (20°)        | 12h                                       |
| Weight                  | 400 g (14oz)                              |

Includes 2 x 1.5V AA batteries

**Order-No. 270 581 000**

### FCL Floor Crossline Laser

**Cross Line Laser**

- Spider lines show the centre
- Individual selection of laser lines



| TECHNICAL SPECIFICATION |   |
|-------------------------|---|
| Range                   | r = 10 m (10.9 yd) / pro Line                 |
| Operating temperature   | -10 bis +50°C<br>(14-122°F)                   |
| Accuracy of measurement | max $\pm 0,030\text{ mm}$ (<1/32")/m (0,017") |
| Dimensions              | 55 x 235 x 115 mm<br>(2 3/16 x 9 ¼ x 4 ½")    |
| Batteries               | 4 x 1,5VAA                                    |
| Shelf life (20°)        | 16h   |
| Weight                  | 650 g (22.88oz)                               |

Includes 4 x 1.5V AA batteries and laser goggles

**Order-No. 270 591 000**

### Laser Goggles

for better visibility of laser marks

especially in bright work surroundings



**Order-No. 270 537 100**

### Aluminum-Tripod

Measurements benefit from a solid working platform. The tripod is designed and made out of robust materials in order to withstand even rough conditions at the construction site.

Height 0.95 - 1.56 m (3'1½" - 5'1½")  
**Order-No. 270 538 100**

Height 0.85 - 2.85 m (2'9½" - 9'4")  
**Order-No. 270 538 000**



# 2 Laying of Floor Coverings

## Measuring Technology

### Scribers

#### Combi Scriber

|                         |             |
|-------------------------|-------------|
| Order-No.               | 262 130 000 |
| Spare Blades/Spare Pins |             |
| 5 Blades                | 262 415 001 |
| 20 Pins                 | 262 126 000 |



#### Seam Scriber Armstrong

|            |             |
|------------|-------------|
| Order-No.  | 262 135 000 |
| Spare Pins |             |
| 5 pcs.     | 262 126 002 |



#### Seam Scriber

|            |             |
|------------|-------------|
| Order-No.  | 262 125 000 |
| Spare Pins |             |
| 20 pcs.    | 262 126 000 |



#### Scriber with wooden grip

|               |             |
|---------------|-------------|
| Order-No.     | 262 156 000 |
| Spare Pins    |             |
| Pins, 25 pcs. | 262 132 002 |



#### Recess Scriber

|            |             |
|------------|-------------|
| Order-No.  | 262 127 000 |
| Spare Pins |             |
| 20 pcs.    | 262 126 000 |



#### Double Scriber

Especially for laying PVC stair edges

|            |             |
|------------|-------------|
| Order-No.  | 262 128 000 |
| Spare Pins |             |
| 20 pcs.    | 262 126 000 |



#### Stair Scriber

For marking the rear edge

|            |             |
|------------|-------------|
| Order-No.  | 262 129 000 |
| Spare Pins |             |
| 20 pcs.    | 262 126 000 |



#### Seam and Threshold Scriber

|                            |             |
|----------------------------|-------------|
| Order-No.                  | 262 124 000 |
| Scribing pins, extra sharp |             |
| 20 pcs.                    | 262 124 001 |



#### Combination Bar Scriber

Long version with adjustable scriber bar

|           |             |
|-----------|-------------|
| Order-No. | 262 132 000 |
|-----------|-------------|

Spare Blades / Spare Pins

|                |             |
|----------------|-------------|
| Blades, 6 pcs. | 262 132 001 |
|----------------|-------------|

|               |             |
|---------------|-------------|
| Pins, 25 pcs. | 262 132 002 |
|---------------|-------------|



#### Standard Bar Scriber


|                   |             |
|-------------------|-------------|
| 41 cm (1'4 3/16") | 262 139 000 |
|-------------------|-------------|

Spare Pins

|         |             |
|---------|-------------|
| 20 pcs. | 262 137 000 |
|---------|-------------|

### PROFILE MASTER Templates

Case containing 2 adjustable templates which can be joined together enabling precise intricate pattern work to be done. With the help of this tool, floor boards can be precisely marked in a time saving manner.



Case of 2 templates, 20 cm (7 3/4") each and 1 setting angle 40 mm (1 1/2")

|           |             |
|-----------|-------------|
| Order-No. | 464 066 000 |
|-----------|-------------|

#### Stair Bevel



|           |             |
|-----------|-------------|
| Order-No. | 262 143 000 |
|-----------|-------------|



#### Height Marking Tool

For skirting boards

|           |             |
|-----------|-------------|
| Order-No. | 222 430 000 |
|-----------|-------------|



#### Dividers

150 mm (6"), with bent leg section

|           |             |
|-----------|-------------|
| Order-No. | 262 150 000 |
|-----------|-------------|



200 mm (8"), with straight legs

|           |             |
|-----------|-------------|
| Order-No. | 262 151 000 |
|-----------|-------------|



200mm (8"), with pencil holder

|           |             |
|-----------|-------------|
| Order-No. | 262 152 000 |
|-----------|-------------|

## Measuring

### Measuring Technology

#### Steel Rulers

Width 8 cm (3 1/8"), can be rolled up, T-piece can be unscrewed, T-piece 60 cm (1' 11 9/16")

**Steel Ruler with T-piece** Steel  
210 cm (6' 10 11/16") length  
Order-No. 262 231 000

410 cm (13' 5 3/8") length  
Order-No. 262 233 000

510 cm (16'9") length  
Order-No. 262 234 000

**Steel Ruler with T-piece** Stainless steel  
210 cm (6' 10 11/16") length  
Order-No. 262 230 000

410 cm (13' 5 3/8") length  
Order-No. 262 235 000

510 cm (16'9") length  
Order-No. 262 236 000

#### Steel Rulers

6 cm (2 3/8") width, L=200 cm (6' 6 3/4")  
Order-No. 262 202 000

10 cm (4") width, L=210 cm (6' 10 11/16")  
Order-No. 262 206 000

10 cm (4") width, L=410 cm (13' 5 3/8")  
Order-No. 262 207 000

#### Non-Slip Steel Rulers

Width 8cm (3 3/16"), vaulted  
Length 205 cm (6' 8 11/16")  
Order-No. 262 203 000

Length 405 cm (13' 3 7/16")  
Order-No. 262 204 000

#### Angular Rulers

##### Rigid T Straight-Edge

205 x 60 cm (6' 8 11/16" x 1' 11 9/16")  
40 x 3 mm (1 3/4" x 1/8")  
Order-No. 262 229 000

##### Steel Ruler

Beveled on one side  
200 cm (6' 6 3/4") length  
Order-No. 262 226 000

##### Steel Angle

100 x 50 cm (3' 3 3/8" x 1' 7 3/8")  
Order-No. 262 220 000

80 x 40 cm (2' 7 1/2" x 1' 3 3/4")  
Order-No. 262 221 000

##### Ruler

Creased for stiffness, stainless steel  
60 cm (1' 11 9/16")  
Order-No. 262 612 220



**Steel Ruler without T-rail** Steel  
210 cm (6' 10 11/16") length  
Order-No. 262 231 100

410 cm (13' 5 3/8") length  
Order-No. 262 233 100

510 cm (16'9") length  
Order-No. 262 234 100

**Steel Ruler without T-rail** Stainless steel  
210 cm (6' 10 11/16") length  
Order-No. 262 230 100

410 cm (13' 5 3/8") length  
Order-No. 262 235 100

510 cm (16'9") length  
Order-No. 262 236 100

**T-piece** 60 cm (1' 11 9/16") length  
Order-No. 262 234 500



### Rulers for Carpet Seaming



#### Waved Ruler

One straight and one waved edge for achieving virtually invisible seams when laying carpets Prevents peaking.

Length: 1900 mm (75")

Order-No. 262 232 000



#### High-Grade Steel Ruler

Length 800 mm (2' 7 1/2"), with handle

Order-No. 262 612 200



#### Seaming Straight-Edge Ruler

Length=600 mm (1' 11 9/16"), stainless steel

Order-No. 262 227 000

### Door Rulers



#### Door Ruler

Retractable, 60 - 100 cm (1' 11 9/16" - 3' 3 3/8")

Order-No. 262 237 000



#### Threshold Ruler

Retractable, 60 cm - 110 cm (1' 11 9/16" - 3' 11 1/4"), stainless, with wooden handle

Order-No. 262 238 000



#### Threshold Ruler

Stainless, with vaulted, hardened steel rails

Retractable, 70 - 120 cm (2' 3 9/16" - 3' 11 1/4")


Order-No. 262 239 000

Retractable, 46 - 73 cm (1' 2 1/16" - 2' 4 3/4") For narrow doors

Order-No. 262 240 000

# 2 Laying of Floor Coverings

## Shears



### Miniket Shears

Length 22 cm (8½") with offset handle.

Top selling carpet shears.  
With plastic coated handle.  
Specifically designed to cut curves and along walls.

Length 22 cm (8½"),  
with offset-handle 262 274 000



### Floor Layer Shears

**Top Grade Quality**  
Extra fine teeth, long handles  
and short blades make these  
very strong.

20 cm (7¾") 262 294 000



-> Improved handles with silicon coated finish.

### Carpet Shears

26 cm (10¼") 237 534 000

30 cm (12") 237 533 000



### FINNY Carpet Shears

26 cm (10¼") long, stainless  
262 296 000



### Leather / Carpet / Underlay Shears

Serrated one side, first grade  
quality

22 cm (9") 262 271 000

27 cm (10½") 262 272 000



### 2-Finger Napping Shears

With offset, plastic coated handle

18 cm (7") 237 535 000



### 3-Finger Napping Shears

18 cm (7") 237 536 000



### Knife Edge Shears

First grade quality

21 cm (8¼") 262 275 000



24 cm (9½") 262 276 000



26 cm (10¼") 262 277 000



29 cm (11½") 262 278 000



### Knife Edge Shears left hand

26 cm (10¼") 262 279 000

### FINNY Textile Shears

Stainless

22 cm (8½") 262 297 000



26 cm (10¼") 262 298 000



### FINNY Wallpaper Shears

Stainless

25 cm (10") 565 055 000



### Robuso-Elastic Knife Edge Shears Top Grade Quality

Fine teeth prevent even fine fabric  
from slipping. An inner spring  
between the blades ensures a  
continuously smooth operation.

21 cm (8¼") 262 292 000

24 cm (9½") 262 293 000



-> Improved handles with silicon coated finish.

## Shears

### Textile Shears

#### French Shears

Straight

26 cm (10 1/4"), left handed 237 531 000

26 cm (10 1/4"), right handed 237 531 900

offset

26 cm (10 1/4"), left handed 237 532 000

26 cm (10 1/4"), right handed 237 532 900

#### Textile Shears

13 cm (5") curved 562 285 000

16 cm (6 1/4") straight 562 288 000

#### Utility Shears for Textiles

With plastic grip

21 cm (8 1/4") 562 291 000

#### FINNY Deko Shears

Stainless

13 cm (5") 262 295 000



### Metal Shears

#### Metal Shears

With enhanced leverage

Order-No. 233 931 000



#### Metal Snips

Order-No. 233 935 000



#### Junior Hacksaw

Order-No. 262 411 000

Spare Blades

12 pcs. 262 411 001



#### Mitre Box

Wood 241 000 000

Semi-steel 245 000 000



### Gripper Shears

#### Gripper Shears

Order-No. 237 530 000

Spare Blade 237 530 001

Spare Anvil 237 530 002




#### Mitre Shears

With mitre guide

Order-No. 262 280 000

Spare Blade 262 280 001

Spare mitre guide 262 280 002



#### Mitre Shear

With adjustable stud (every 15°)

Order-No. 262 280 100



#### Profile Shears

With enhanced leverage

Complete with stud 90° and 45°

Order-No. 262 284 000

Spare blade

Order-No. 262 284 001

Spare stud

90°, for straight cuts

Order-No. 262 284 200

45°, for angle cuts

Order-No. 262 284 100



#### Adjustable Vinyl Mitre Shears

For PVC-Profiles and

PVC cable covers


45° angle cut

Order-No. 262 282 000



#### Skirting Board Punch

For neat cuts of synthetic or wooden - profiles, skirting boards etc.



Complete with:

- Replaceable blade made of high-grade steel
- Ridged base
- Adjustable stud for cuts up to 90 degree

Order-No. 233 960 000

#### TECHNICAL SPECIFICATION

|                     |                               |
|---------------------|-------------------------------|
| Width x Height      | 235 x 420 mm<br>(7/8 x 9/16") |
| Length of handle    | 380 mm (1'3")                 |
| Cutting height max. | 28 mm (11/8")                 |
| Cutting length      | 130 mm (5")                   |
| Cutting angle       | 45 - 90°                      |
| Weight              | 2.8 kg (6.2 lbs)              |

# 2 Laying of Floor Coverings

## Stretching Tools and Devices

### Stretchers

#### Knee Kicker Deluxe

Order-No. 237 405 000

#### Spare Gripper Inserts for Knee Kickers

3 pcs. 237 405 001



#### Knee Kicker Standard

5 settings, pins are adjustable to different heights

Order-No. 237 407 000



#### Double Headed Strecher

With independently adjustable pin pads. A handy tool with clean lines, this stretcher serves both as a tubeless stretcher and a seam closing tool, especially useful for matching up patterns.

Comes with an additional lever so that the device can also be used as a tubeless lever stretcher.

Complete in metal case

Order-No. 237 440 000



#### Power Stretcher



Complete with carrying case, 4 extension tubes up to 7 m (7 1/2 yd.), with two heads fine pinned cotton head and coarse pinned head plate

Order-No. 237 410 000

#### Replacement Parts

Cotton Grip Head, fine

Order-No. 237 410 001

#### Stretching Felt


Compound textile: Wool/ mixed fibers with synthetic fleece

25 m (27 yd.) roll, width 2m (6' 6 3/4")

PE foil-packaged

Thickness of 6 mm (1/4") 332 500 000

Thickness of 7 mm (1/4") 332 500 100



### Heat Bond Irons and Tapes



#### Iron

With built-in heat shield and thermostat with four settings. Teflon base.

#### Complete with stand

230 V 237 000 500

120 V 237 000 900

#### Iron Kit complete

Iron complete in metal in carrying case, with stand, one 20 m (22 yd.) roll of standard heat bond tape, 10 m (11 yd.) extension lead

230 V 237 000 000



### Heat Bond Tapes

#### Standard Quality

For residential use or use with standard woven carpets.

1 x 20 m (22 yd.) 237 010 000

10 x 20 m (22 yd.) 237 010 100

4 x 50 m (55 yd.) 237 010 300



#### Super Quality

For woven carpets, jute backs and synthetic double back for even heat distribution.

1 x 20 m (22 yd.) 237 012 100

10 x 20 m (22 yd.) 237 012 200

4 x 50 m (55 yd.) 237 012 300



#### Gold Quality

Extra heavy duty for commercial use. Object quality with gold foil for even heat distribution.

1 x 20 m (22 yd.) 237 013 100

10 x 20 m (22 yd.) 237 013 200

4 x 50 m (55 yd.) 237 013 300



## Stretching Tools and Devices

### Stretching Tools

Tack and Moulding Lifter

Order-No. 237 540 000



### Stair Tools

7 cm (2¾") 237 542 000

9 cm (3½") 237 542 100

Bent, for working beneath radiators

Order-No. 237 542 001



### Nail Driving Bar



Order-No. 237 544 000



### Claw Hammer

570 g (20 oz) 237 545 000



### Standard Tack Hammer

460 g (16 oz) 237 546 000



### Carpet grippers

#### Standard No. 140

For standard carpet flooring

Height of nails 5 mm (3/16")

Order-No. 331 200 500



#### Standard No. 141

For thin carpet flooring

Height of nails 4 mm (3/16")

Order-No. 331 201 500



#### Standard No. 185

Prenailed for subfloor and concrete subsoil

Height of nails 5 mm (3/16")

Order-No. 331 203 000




#### Extra Wide No. 142

3-rowed, width 40 mm (1 1/2"), for standard carpet flooring

Height of nails 4 mm (3/16")

Order-No. 331 204 000



Packaging unit no. 142: Pack of 50 pcs., 152 cm (4'12") each = 76 m (83 yd.)

### Seam Rollers

#### Seam Roller

Single Axle with star wheel roller


Order-No. 237 100 000



#### Carpet Tractor

Three axis at 12 star wheels each

Order-No. 237 105 000



#### Multi-Roller

With 24 star wheels

Order-No. 237 101 000



#### Combi-Multi-Roller

With 3 hard rubber rollers and 18 star wheels

Order-No. 237 102 000



#### Multi-Roller

With 4 hard rubber rollers

Order-No. 237 103 000



#### Multi-Roller

With 2 narrow steel rollers

Order-No. 237 104 000



#### Seam Clamp

plastic coated holder  
Pin-cushion 30 x 70 mm  
(1 3/16 x 2 3/4")

Order-No. 262 242 000



#### Scratch Awl

Round 237 547 000

Square 237 548 000



#### Carpet Edge Cutter "de Luxe"

For cutting stretched carpet flooring next to walls. Adjustable throat to accommodate varying pile height. PVC coated handle, suitable for work beneath radiators due to adjustable handle (up to 180°)

Order-No. 262 281 000



#### Spare Blades

10 pcs. 262 281 001

# 2 Laying of Floor Coverings

## Adhesives and Cartridges

### Spray-Contact-Adhesive GLUKON®

Ready to use without electric power or a compressor.

Easy to transport to the job site.

GLUKON® can be used to bond a wide spectrum of materials including carpet, pvc, felt, fabric, linoleum, cork, rubber, foam, wood, glass, MDF, most plastics and metal.

Both sides of the material need be coated with the contact adhesive for a revolutionary fixing strength.

#### Other features

- almost odour-free, water-resistant and clear.
- Ideal for covering stairs (approx. 30% higher productivity compared to manual glue applications)
- With a double sided coating a 17 kg container lasts for approx. 125 m<sup>2</sup>
- 17 kg GLUKON® replaces approx. 65 kg of regular contact adhesive.
- Shelf life: min. 12 months after opening the container.
- Low initial investment
- Selve Contained Maintenance Free System
- High Solids – Low Solvent Content



#### TECHNICAL SPECIFICATIONS

|                    |  |
|--------------------|--|
| Consumption        | 15-18 m <sup>2</sup> (18-22 yd <sup>2</sup> )/kg |
| Shearing strength  | > 150 psi  |
| Transpiration time | 1- 3 min   |
| Processing time    |  |
| premium            | 4 h  |
| classic            | 24 h   |
| Heat resistance    |  |
| premium            | > +130°C (266°F)                                 |
| classic            | > +100°C (212 °F)                                |

#### Glukon® Premium Quality

17 kg (37.48 lbs) 334 073 000

#### Glukon® Classic Quality

17 kg (37.48 lbs) 334 072 000

#### Spare Accessories

Glukon® Spray Gun  
Order-No. 334 072 100

Glukon® Spare Nozzle  
Order-No. 334 072 200

Glukon® Spare Hose (Length 5,5 m)  
Order-No. 334 072 300

### Adhesive Cartridges without cartridge gun

#### Panel Adhesive

A general purpose mastic based on synthetic rubber, this adhesive is easy to apply and suitable for wood panelling, drywall, insulation board and various plastics. Also suitable for the installation of carpet gripper.

310 ml cartridge

Single cartridge 334 063 000

Pack of 12 Cartridges 334 063 100

#### GRIPFILL Panel Adhesive

A multi-purpose gap-filling high-performance adhesive

310 ml cartridge

Single cartridge 334 500 001

Pack of 12 cartridges 334 500 000



TKL-Adhesive & Cartridge Guns see page 133

### Adhesive Tins

#### Anker Weld Latex Adhesive

Made of solvent-free natural rubber latex (60%)



500 ml - tin  
Single tin 334 041 300

Pack of 12 tins 334 041 400

#### Contact Adhesive

A contact adhesive, based on synthetic rubber. For boards made of synthetic materials, wood, veneer, PVC, metal and leather. Suitable for porous surfaces



1 l can 334 081 000

5 l can 334 081 200

#### Spray Adhesive

For textiles, polystyrene foam etc.



500 ml tin  
Single tin 334 051 000

Pack of 12 tins 334 051 100

#### Anti-fraying Spray

Prevents woven carpets, sisal and coco from fraying when cut.



600 ml tin  
Single tin 334 031 000

Pack of 12 tins 334 031 100

### Carpet Seam Protection

Prevents high edges and the from fraying out

This production can be used on all types of carpeting where the seam needs to be strengthened.

Carpet Seam Protection stabilizes within the longitudinal seam as well as in-cut seams. Prevents from fraying and loosing and can be used for repairing damaged seams.

132 gr (4.65 oz) / 150 ml sufficient for approx 25 running meter (27 yd)



132 ml tube  
Order-No. 334 017 000



### Seam Tapes

Adhesive on both sides, highly resistant to softener agents

Width 50 mm (2 ")

10 m (11yd.) 335 250 100

25 m (22yd.) 335 350 100





## Press-on Tools

### Pressure Roller

Detachable handle and galvanized rollers, complete with protector caps \* (\*30 kg and 50 kg Pressure Rollers only)




#### Pressure Roller 30 kg (66 lbs)

| TECHNICAL SPECIFICATION |                |
|-------------------------|----------------|
| 3 parts Weight approx.  | 30 kg (66 lbs) |
| Roll-Ø                  | 120 mm (4¾")   |
| Total width             | 310 mm (12 ¼") |
| Order-No.               | 262 390 000    |



#### Pressure Roller 50 kg (110 lbs)

| TECHNICAL SPECIFICATION |                 |
|-------------------------|-----------------|
| 4 parts                 |                 |
| Weight approx.          | 50 kg (110 lbs) |
| Roll-Ø                  | 120 mm (4¾")    |
| Total width             | 510 mm (20")    |
| Order-No.               | 262 391 000     |



#### Pressure Roller 80 kg (176 lbs)

| TECHNICAL SPECIFICATION |                     |
|-------------------------|---------------------|
| 4 parts                 |                     |
| Weight approx.          | 80 kg (176 lbs)     |
| Roll-Ø                  | 160 mm (6 ¼")       |
| Total width             | 510 mm (1' 8 1/16") |
| Order-No.               | 262 400 000         |



#### Accessories

##### Chassis

For pressure rollers

50 (110 lbs) + 80 kg (76 lbs)


Order-No. 262 395 000

##### Transport Wheels Protector Caps Ø 120 mm (4 1/16"), pair

For Pressure Rollers

30 kg (66 lbs) + 50 kg (110 lbs)

Order-No. 262 390 015



### GLIDA

For dual purpose

Working width  
38 cm (1'3")

Handle length  
120 cm (3'11¼")

Weight approx.  
10 kg (22 lbs)




Order-No. 262 406 000

### Light Weight Roller

Working width  
45 cm (1' 7 3/4")

The new press-on roller can also be used as a seam roller.

Body weight is transferred to the tool so the work can be done in a standing position.



Order-No. 262 401 000


### Carpet Presser

Made from beech wood.

Working width  
40 cm (1' 5 3/4")

Weight approximately  
1.8 kg (3.97 lbs)

Handle length  
150 cm (5' 9")



Order-No. 262 406 600

### Wall / Floor Roller

With telescopic extendable handle



Order-No. 262 403 000



### Pressing Hammer

Order-No. 262 378 000



### Cork Press

With rounded edges

300 x 120 x 25 mm  
(11¾ x 4¾ x 1") 262 380 000



### Cork Press

With wooden handle

300 x 137 x 25/40 mm  
(11¾ x 5 3/8 x 1/ 1½") 262 381 000



### Weights

Container with 15 weights, approx.  
22 kg (49 lbs)

Order-No. 262 392 000



### Sand Bag (empty)

47 x 19 cm  
(1' 6 ½" x 7 ½") 262 405 000

# 2 Laying of Floor Coverings

## Staplers and Nailers

"MAESTRI BY JANSER®"

### Electric Nailers and Guns

For professional use with:  
MET 80, MET 4000, MET 4/606,  
MET 30 and MET 30/08

Interior designers, floor layers, joiners, carpenters, and decorators have been using these reliable tools for many years to fit staples and brads neatly and effortlessly.

All MET tools operate without vibration or kickbacks. The housing is made of shockproof, fibre-enhanced synthetic material. Power supply is 120/230V and comes complete with a transport case.

### MET 80 Staple Gun

The proven stapler for upholstery.

Order-No. 571 460 000

Staples for MET 80  
(pack of 10,000 pcs.)

8 mm (5/16") 571 460 208

10 mm (3/8") 571 460 210

12 mm (1/2") 571 460 212

14 mm (9/16") 571 460 214

16 mm (5/8") 571 460 216



Using the MET 4000 for fixing stretched carpets



Upholstery with MET 80 or MET 4/606



Using the MET 30 for paneling



Using the ME 30/08 for invisibly countersinking brads when fixing skirting boards

### MET 4000 Staple Gun

For all upholstery purposes. Suitable for fixing textile floor coverings on stairs, around bathroom fittings and on mouldings.

Countersinking staples into plywood, chipboards, fiber boards and panel

Order-No. 571 461 000

### MET 4/606 Staple and Brad Gun

A multipurpose gun for both staples and brads. Good for repairing chipboards and plywood. Also suitable for deep floor carpets and all types of floor coverings.

Order-No. 571 462 000

### MET 30 Brad Gun

Suitable for fixing laminate, profiles, skirting boards and beading.

Fitted with a rubber underlay to prevent damage to working surfaces.

Brads are nearly invisible.


Order-No. 571 463 000

### MET 30/08 Brad Gun

Invisibly countersink brads when fixing skirting boards. Brads are even thinner and when countersunk in wood or laminate skirting boards and profiles, the brad remains invisible. There is no need for sealing any holes. Also suitable for fixing beading and mouldings.

Order-No. 571 464 000


Staples for  
MET 4000  
(packaging unit in pcs.)



16 mm (5/8") (10,000)  
Order-No. 571 461 216

20 mm (13/16") (10,000)  
Order-No. 571 461 220

Staples for  
MET 4/606  
(packaging unit)



18 mm (11/16") (5,000 pcs)  
Order-No. 571 462 218

23 mm (7/8") (2,900 pcs)  
Order-No. 571 462 224


25 mm (1") (5,000 pcs)  
Order-No. 571 462 225

Brads for MET 4/606 (packaging unit)  
15 mm (9/16") (8,000 pcs)  
Order-No. 571 462 115

20 mm (13/16") (7,000 pcs)  
Order-No. 571 462 120

25 mm (1") (5,000 pcs)  
Order-No. 571 462 125

Brads for  
MET 30  
(packaging unit in pcs.)



15 mm (9/16") (8,000.)  
Order-No. 571 462 115

20 mm (13/16") (7,000)  
Order-No. 571 462 120

25 mm (1") (5,000)  
Order-No. 571 462 125

30 mm (1 3/16 ") (4,000)  
Order-No. 571 462 130

Brads for  
MET 30/08  
(packaging unit in pcs.)



15 mm (9/16") (6,100)  
Order-No. 571 464 115

20 mm (13/16") (6,100)  
Order-No. 571 464 120

25 mm (1") (6,100)  
Order-No. 571 464 125

30 mm (1 3/16 ") (6,100)  
Order-No. 571 464 130

## Staplers and Nailers

### Impulse IM 50 F18 Brad Gun

**Tubeless and cordless**  
There is no quicker or easier way

#### Advantages

- Tubeless and cordless
- Immediately ready for use
- Strong like a pneumatic nailer
- Light but heavy duty
- Adjustable penetration depth
- Proven reliability worldwide

#### Function:

After positioning the gun, a tiny quantity of fuel is injected into the combustion chamber. By pulling the trigger a spark is ignited and the piston moves down.

Without having to use a compressor, this mechanism is as powerful as a pneumatic device.

#### Application:

Skirting boards and strips (also on plaster), interior decoration, and installation

#### For the following trades:

Interior design, floor laying, carpentry, joinery, painting, stage design, fairs/exhibitions

#### TECHNICAL SPECIFICATION

|                       |                                     |
|-----------------------|-------------------------------------|
| Weight                | 2.3 kg (5 lbs)                      |
| Height xLength        | 290 x 275 mm<br>(11 3/8 x 11")      |
| Length of nails       | 16 - 50 mm (5/8 - 2")<br>(Type F18) |
| Nail thickness        | Ø 1.2 mm (3/64")                    |
| Nail head             | Ø 1.6 mm (<1/16")                   |
| Capacity              |                                     |
| - Magazine            | 100 brads                           |
| - 1 fuel cell approx. | 1,000 brads                         |
| - Battery approx.     | 4,000 brads                         |

Impulse Nailer IM50 F18 complete with carrying case, 1 battery, 1 battery charger, 1 pair of protective goggles

**Order-No. 571 900 000**



#### Service Case with 1 of each

Spray cleaner, spark plug, spark plug spanner, oil, Allen key, cleaning cloth, cleaning manual (on CD)

**Order-No. 571 900 116**

#### Accessories

PACK of 2000 brads and 2 fuel cartridges

**Brad length 16 mm (5/8") 571 900 050**

**Brad length 25 mm (1") 571 900 051**

**Brad length 32 mm (1 1/4") 571 900 052**

**Brad length 38 mm (1 3/8") 571 900 053**

**Brad length 50 mm (2") 571 900 054**

Single T brads can be used at measurements from 16-50 mm (5/8 - 2") (see page S.76)

PACK of 2000 brads and 2 fuel cartridges

Brads (V2A / high-grade steel)

**Brad length 16 mm (5/8") 571 900 080**

**Brad length 25 mm (1") 571 900 081**

**Brad length 32 mm (1 1/4") 571 900 082**

**Brad length 38 mm (1 3/8") 571 900 083**

**Brad length 50 mm (2") 571 900 084**

#### Spare battery

**Order-No. 571 900 061**


**Fuel cartridges (Pack of 2 pcs.)**

**Order-No. 571 900 060**

### Pneumatic Stapler TG50

delivered complete in transport case

**Order-No. 571 870 000**



#### Brads for TG 50

(packaging unit in pcs.)

**15 mm (9/16") (8,000) 571 462 115**

**20 mm (13/16") (7,000) 571 462 120**

**25 mm (1") (5,000) 571 462 125**

**30 mm (1 3/16 ") (4,000) 571 462 130**

**40 mm (1 9/16 ") (7,000) 571 462 140**

**50 mm (2") (5,000) 571 462 150**

#### Accessories

Accessories-Set complete containing:

- 10 m (11yd) air hose
- fast attachment clutch
- hose clamp

**Order-No. 571 501 000**

#### Spare Parts

Spiral Spring 4m / 9 mm (13' 1/2/ 3/8")

**Order-No. 571 415 000**

### ROCAMA 16 Hand Tacker

Top of the line staple and brad gun for professional use.

- Infinitely adjustable penetration depth
- Solid metal casing
- Small and handy
- Weighs only 670 g (24 oz)

**Order-No. 571 191 000**



### Staple Hammer

Heavy duty version for affixing thin materials. (e.g. Underlay to subfloor)

**Order-No. 237 504 000**



### Tjep Nailer

A handy tool for fixing coverings, strips, panelling, plywood, chipboard, fiberboard and plasterboard.

**Order-No. 221 900 000**

Staples and Brads see page 82

# 2 Laying of Floor Coverings

## Staplers and Nailers

### Staples and T-Brads

#### Staples

Type 37  
for Novus J-162

(Pack of 5,000)

6 mm (1/4") 571 301 000

8 mm (5/16") 571 302 000

10 mm (3/8") 571 303 000

12 mm (1/2") 571 304 000

15 mm (9/16") 571 305 000

#### Staples

For Duo-Fast Elektrik Staple Nailer 5018,  
Hand Staple Gun LT 850 and Pneumatic  
Nailer IE-D16 / 1m-D16 / HG6-16  
(packaging unit)

6 mm (1/4") (5,000) 571 506 000

8 mm (5/16") (5,000) 571 508 000

10 mm (3/8") (5,000) 571 510 000

#### Staples

Nails Type 53  
for ROCAMA 16 / Novus J19  
(PU in pcs.)

8 mm (5/16") (5,000) 571 191 208

10 mm (3/8") (5,000) 571 191 210

12 mm (1/2") (5,000) 571 191 212

14 mm (9/16") (5,000) 571 191 214

16 mm (5/8") (4,000) 571 191 216

Stapels for MART 50 (Pack of 5,000)

6 mm (1/4") 237 504 206

8 mm (5/16") 237 504 208

10 mm (3/8") 237 504 210

#### Staple Remover

Order-No. 571 591 000

#### T-Brads

Type J  
for Novus J105 / J100 /  
J-19EADHG / J-172 /  
J-172A / J-230  
(Pack of 1,000)

16 mm (5/8") 571 710 000

19 mm (3/4") 571 711 000

25 mm (1") 571 712 000

30 mm (1 3/16") 571 713 000

For Pneumatic Nailer DF50/ 32 SD / BB-  
4440 / Rivet Hammer /  
DEB-30 and FN1850  
(packaging unit)

16 mm (5/8") (10,000) 571 606 000

18 mm (11/16") (10,000) 571 603 000

25 mm (1") (5,000) 571 601 000

29 mm (1 3/16") (5,000) 571 608 000

32 mm (1 1/4") (5,000) 571 602 000

35 mm (1 3/8") (5,000) 571 609 000

40 mm (1 9/16") (5,000) 571 610 000

50 mm (2") (5,000) 571 612 000

#### Tjep-Brads

(Pack of 2,000)

19 mm (3/4") 221 912 000

25 mm (1") 221 913 000

Brads for ROCAMA 16  
(packaging unit in pcs.)

15 mm (9/16") (8,000) 571 462 115



## Compressors

### Compressors

#### Silent Compressor JUN-AIR Mod.4-15

##### TECHNICAL SPECIFICATION

|                                     |                                      |
|-------------------------------------|--------------------------------------|
| Power supply                        | 230 V / 120V                         |
| Motor output                        | 180 W (0.3 hp)                       |
| Suction rate                        | 44L/min                              |
| Max pressure                        | 8 bar                                |
| Tank capacity                       | 15 liters                            |
| Dimensions: Length x Width x Height | 38x38x47 cm (1'3" x 1'3" x 1'6 1/2") |
| Weight                              | 21.6 kg (48 lbs)                     |

Order-No. 223 380 000

##### Compressor-Oil 0.5L

For Silent Compressor

Order-No. 223 380 007



#### Orkan 215

Rugged, heavy duty compressor

With:

- Soft hand grip
- Robust wheels
- Tank pressure gauge
- Depressuriser gauge
- No safety check required

##### TECHNICAL SPECIFICATION

|                  |  |
|------------------|--|
| Power supply     | 230 V                                    |
| Motor output     | 1100 W (1.5HP)                           |
| Suction rate     | 215L/min                                 |
| Filling capacity | 115L/min.                                |
| Max pressure     | 10 bar                                   |
| Tank capacity    | 24 Liter                                 |
| Dimensions LxWxH | 64x31x61 cm<br>(25 3/16 x 12 3/16 x 24") |
| Weight           | 22.5 kg (49.6 lbs)                       |

Order-No. 223 260 000

##### Compressor-Oil 1L

for piston compressor

Order-No. 223 300 007



#### TWINSTAR 450

Highly efficient with belt drive

With:

- Shift start
- Pneumatic tires
- Tank pressure gauge
- Motor protection
- Depressuriser with water separator
- Double support with rubber protection
- Quality pressure button and relief valve

##### TECHNICAL SPECIFICATION

|                  |  |
|------------------|--|
| Power supply     | 230 V                                  |
| Motor output     | 2200 W (3HP)                           |
| Motor speed      | 2780 rpm                               |
| Compressor speed | 1420 rpm                               |
| Suction rate     | 420L/min                               |
| Filling capacity | 280L/min                               |
| Max pressure     | 10 bar                                 |
| Tank capacity    | 50 Liter                               |
| Dimensions LxWxH | 90x30x71 cm<br>(35 1/2 x 11 7/8 x 28") |
| Weight           | 42 kg (92.6 lbs)                       |

Order-No. 223 290 000



## Special Aids

### 2-Gear Screwdriver ALi 10,8 G With Lithium-ion technology

With this compact impact drill all assembly work can be quickly and precisely carried out.

Thanks to its high performing lithium-ion batteries, this impact drill is always ready for action. No more battery charging before starting work.

The built-in LED light helps with precision work or when working in dark areas.


This handy and lightweight impact drill is the perfect partner for continuous working.



Includes separate LED lamp.



integrated  
LED-light



#### TECHNICAL SPECIFICATION

|                             |                         |
|-----------------------------|-------------------------|
| Battery voltage             | 10.8 V                  |
| Battery capacity            | 1.3 Ah                  |
| Torsion                     | 38 Nm                   |
| Torque positions            | 20+1                    |
| Speed without load - 1 gear | 0-345 rpm               |
| Speed without load - 1 gear | 0-1240 rpm              |
| Tool fixture                | 0,8-10 mm (1/32 - 3/8") |
| Weight with battery         | 1.10 kg (2.4 lbs)       |

Complete with plastic carrying case, additional battery pack, rapid battery charger, LED light, and socket and bit set.

Order-No. 575 300 200

### Suction Turtle

Drill without dust on walls and ceilings  
Work can be carried out nearly dust free with this flexible and self-adhesive vacuum.

#### Suction Turtle

|                                  |             |
|----------------------------------|-------------|
| With pin joint pipe 32 mm (1 ¼") |             |
| Blue                             | 570 930 000 |
| Red                              | 570 930 001 |
| Green                            | 570 930 002 |



#### Accessories

##### Extension hose

High-quality hose, textile and steel wire reinforced with flexible endpiece.

Length 2m (6' 6 ¾") 570 931 000

##### Suction hose for use in corners

Set of 2 570 930 100



### Protective Coverings

#### COVERTAC Special protective foil

Self-adhesive, residue-free when removed

For protection during renovation and decoration. Simply unroll COVERTAC onto flooring with special COVERTAC applicator.

Only suitable for textile floor covering.

#### COVERTAC Special Protective Foil

Width 60 cm (1' 11 9/16"),

Length 100 m (109 yd.)

Order-No. 896 100 000

#### Unroll tool Universal

Order-No. 896 000 000



### Lifting and Carrying Aids

#### DUOPLAC Transportation Tool

- Innovative and solid design
- Can be fixed to the belt
- Rubber coated grip



Pair

Order-No. 262 425 500



#### Claw Lifter

For lifting up tiled carpet floor coverings



Order-No. 262 428 200



#### Vacuum Lifter

For lifting up tiled floor coverings with smooth surfaces, e.g. synthetic materials, rubber coverings with studs, linoleum and ceramic tiles



Order-No. 262 428 100



#### 2-Head Suction Lifte

For transporting panels and for making adjustments when laying floor coverings

Order-No. 262 428 000



# 2 Laying of Floor Coverings

## Installation aids

### Glue Guns

Ideal tools for gluing wood or aluminium profiles onto all types of subfloors. Also suitable for other tasks such as upholstery.

- High melting power
- Light and handy
- Adjustable temperature
- Convenient handling
- Integrated on/off switch
- Mechanical setting for precise repeated application volume
- Distance of trigger can be adjusted to size of operator's hand

#### Glue Gun HB 220

for glue sticks Ø 12 mm (1/2")



| Technical Specification |  |
|-------------------------|--|
| Power supply            | 230 V  |
| Heating capacity        | 220 W  |
| Application temperature | 140 - 220°C<br>(284-428°F)                       |
| Glue sticks             | 200 x Ø12mm (1/2")                               |
| Melting Power           | 0,7 - 1,2 kg (1.5-2-6lbs)/h                      |
| Dimensions              | 290 x 230 x 55 mm<br>(11 1/2 x 9 1/16 x 6 3/16") |
| Weight                  | 600 g (21.12oz)                                  |

comes in case with spare nozzle

Order-No. 237 085 000

#### Glue Sticks Ø 12 mm (1/2")

200 mm (7 7/8") length / transparent  
for HB 220 / TEC 700 / Mod.211

Pack of 5 kg 237 092 500

#### Glue Gun HB 320

for glue sticks Ø 18 mm (3/4")



| Technical Specification |  |
|-------------------------|--|
| Power supply            | 230 V  |
| Heating capacity        | 400 W  |
| Application temperature | 120 - 220°C<br>(248-428°F)                     |
| Glue sticks             | 300 x Ø18mm (3/4")                             |
| Melting Power           | 1,2 - 1,8 kg (2.6-4 lbs)/h                     |
| Dimensions              | 275 x 225 x 70 mm<br>(10 7/8 x 8 7/8 x 2 3/4") |
| Weight                  | 900 g (31.68oz)                                |

comes in case with spare nozzle

Order-No. 237 097 600

#### Glue sticks Ø 18 mm

300 mm (11 7/8") length / transparent  
for HB300/ 320

Pack of 5 kg 237 098 000

#### Glue slugs Ø 43 mm (5") for TEC 3200

50 mm (2") length / transparent  
(Pack of 2 x 5 kg (11lbs) = 10kg ( 22 lbs))

Order-No. 237 098 500

### Foam Saw

The foam saw is available with a wide range of different saw sizes for different materials.

Cuts foam materials of up to 300 mm (11 7/8") thickness.

Without saw blades and without blade guide

Order-No. 572 000 000

#### Saw blades, pair

For materials

up to 130 mm (5 1/8") 572 000 002

up to 200 mm (8") 572 000 003

up to 300 mm (12") 572 000 004



#### Saw blade guide

For materials

up to 130 mm (5 1/8") 572 000 006

up to 200 mm (8") 572 000 007

up to 300 mm (12") 572 000 008

### Fitting & Fixing of Skirting boards

#### Universal Skirting Corner Cutter Type 1000



Suitable for Dölken shock-type cove bases S40/22

Order-No. 222 436 000

#### Replacement Parts

##### Spare Spring

222 428 001

##### Spare Handle long + short lever

complete with spring

222 436 015

##### Spare Blade 100 mm (4")

222 428 006

#### Pressure Kit

for design floors  
2-3 mm (3/32 - 1/8")

plastic, pair

Order-No. 222 436 010



#### Skirting Corner Cutter

suitable for Gardinia Core bases

Order-No. 222 434 000

#### Skirting Corner Cutter

suitable for  
Bolta skirting  
boards



Order-No. 222 434 500

#### Edge Cutter

For straight cutting of shock-type cove bases



Order-No. 222 435 000

#### Adhesive Injector Syringe

Unbreakable nylon  
With 3 needles



Order-No. 237 070 000

#### Replacement Syringe Needles

3 pcs. 237 070 002

#### Rapid-Applicator

For accurate application of adhesive to the wall when fitting skirting boards



Order-No. 229 000 000

#### Adhesive applicator for wall cove base



Order-No. 229 100 000

#### Tin of adhesive

Order-No. 229 100 001

### Metal Hammer



300 g (11 oz) 262 461 000

500 g (18 oz) 262 463 000

### Rubber Hammer



Black 262 467 000

White (does not leave colour marks)  
262 468 000

### Pliers



160 mm (6 3/8") 262 455 000

200 mm (8") 262 456 000

## Tool Cases

### BASIC Tool Cases

Ideal for medium loading capacities



#### Apprentice's Bag

Black grained sheet steel with front compartments and an aluminium-enhanced bottom shell.

#### Technical Specification

|                     |   |
|---------------------|---|
| Material            | black synthetic leather                         |
| Dimensions (inside) | 420 x 160 x 250 mm<br>(16 1/2 x 6 1/4 x 9 7/8") |
| Weight              | 2.1 kg (4.6lbs)                                 |

Tools not included

Order-No. 262 443 000



### NEW CLASSIC Tool Cases

Ideal for professional craftsman

- Embossed leather
- Extra heavy duty
- Number or key locks
- High moisture protection
- Stable handles with metal rails
- Sturdy internal compartments
- Protective floor gliders integrated
- Long lasting value, high durability
- Enforced with aluminium angles and ABS side frames

#### NEW CLASSIC Tool Case



Front and back can be opened partially.  
Centre panel can be removed.

#### Technical Specification

|                     |   |
|---------------------|---|
| Material            | black leather                                     |
| Dimensions (inside) | 390 x 185 x 310 mm<br>(15 3/8 x 7 1/4 x 12 3/16") |
| Weight              | 2.8 kg (6.2 lbs)                                  |

Tools not included

Order-No. 262 445 000



#### NEW CLASSIC Universal Tool Case



- Front can be opened, with 11 adjustable loops
- 8 adjustable loops on back wall
- Bottom shell made of unbreakable plastic
- Lockable

Complete with tools

- Contents:
- 1 Lifting claw
  - 1 Allway hand scraper
  - 1 Pack Allway Blades (10 pcs.)
  - 1 Rubber Kneepads (Pair)
  - 1 Miniket-Shear
  - 1 carpet scissors (for 3 fingers)
  - 1 Pliers
  - 1 Locksmith's hammer 300 g (11 oz)
  - 1 High-quality ruler
  - 1 Rough edged hammer
  - 2 Seam Staples
  - 1 Multi-Roller Combi
  - 1 bodkin
  - 1 chalk line
  - 1 chalk refill blue
  - 1 SILVER KNIFE (red)
  - 1 SILVER KNIFE (yellow)
  - 100 straight Blades
  - 100 hooked Blades
  - 1 Saw Blade Wood
  - 1 Saw Blade Metal
  - 1 Spatula for Adhesive 21 cm (8 3/8")
  - 10 blades for adhesive spreaders A2 21 cm (8 3/8")
  - 10 blades for adhesive spreaders B1 21 cm (8 3/8")
  - 1 sanding block

#### Technical Specification

|                     |  |
|---------------------|--|
| Material            | black leather                                    |
| Dimensions (inside) | 440 x 185 x 300 mm<br>(1'5 5/16" x 7 1/4" x 12") |
| Weight              | 2.9 kg (6.4lbs)                                  |

Tools not included

Order-No. 262 438 000



Order-No. 262 610 900

### TOP LINE Tool Cases

The Top Line series was developed together with professional craftsmen and is extremely well crafted and durable with high functionality and a nice design.

With the CP7 Tool Holding System, the pockets can be packed individually.

- Clip locks
- Extra thick and embossed leather
- Protective floor gliders integrated
- Ergonomic, cushioned carrying handle
- Extremely durable and enforced by aluminium angles and ABS sidewalls

#### TOP LINE Tool Case



Front wall fitted with tool holder Ø 26 mm (1")  
Back wall fitted with tool holder Ø 15 mm (9/16")  
Front compartment, snap-in locks

#### Technical Specification

|                     |  |
|---------------------|--|
| Material            | black leather                                    |
| Dimensions (inside) | 440 x 185 x 300 mm<br>(17 3/8 x 7 1/4 x 11 3/4") |
| Weight              | 2.9 kg (6.4lbs)                                  |

Tools not included

Order-No. 262 446 500



# 2 Laying of Floor Coverings

## Tool Cases

### TOP LINE Drawer Case



Four-part drawer case with new tool holding system. The front wall can be opened and middle wall is fitted with one tool holder Ø15 mm (9/16"). Back wall can be partly opened, fitted with one tool holder Ø26 mm (1"). Carrying tray, subdivision for small parts, and snap-in locks included.

| Technical Specification |  |
|-------------------------|--|
| Material                | black leather  |
| Dimensions (inside)     | 410 x 190 x 280 mm<br>(1' 5 11/16" x 7 1/2" x 1' 1 3/8") |
| Weight                  | 4.6 kg (10.1 lbs)  |

**Tools not included**  
Order-No. 262 449 000



### PROFI LINE Tool Boxes

- plastic case that is resistant to oils and chemicals
- handy size with great capacity

#### PROFI LINE Tool Box

This black, polypropylene toolbox is fitted with a sturdy grip and a removable carrying tray with subdivisions. Also includes mountings for circular saw blades up to Ø180 mm (7 1/4") and a quick-lock closure system that is lockable with a padlock.



| Technical Specification |  |
|-------------------------|--|
| Material                | black leather                                      |
| Dimensions (inside)     | 585 x 290 x 280 mm<br>(23 1/32 x 11 3/8 x 11 1/4") |
| Weight                  | 3.06 kg (6.75 lbs)                                 |

**Tools not included**  
Order-No. 262 439 900



### NEW CLASSIC Drawer Case



Four-part drawer case with a body reinforced with aluminium. The front wall can be opened and the middle wall is fitted with a waterproof loop holder with 11 loops. The back wall can be partially opened and is fitted with 11 adjustable loops. Also includes carrying tray, subdivision for small parts and removable locks.

| Technical Specification |   |
|-------------------------|---|
| Material                | black leather                                     |
| Dimensions (inside)     | 410 x 190 x 280 mm<br>(1' 4 3/16" x 7 1/2" x 12") |
| Weight                  | 4.7 kg (10.4 lbs)                                 |

**Tools not included**  
Order-No. 262 440 000



### JANSER Tool Bag

This specially designed tool bag is ideal for storage of all tools used for floor laying and carpentry. It has 15 exterior pockets, a tape measure holder and a nametag.

There are 22 practical pockets and holders inside the tool bag.

The two sturdy Velcro strips enable you to carry telescopic handles, spirit levels and other tools too long to fit in the bag.

The solid handles are made of metal with a comfortable, ergonomic grip.

With the ergonomic shoulder strap the tool bag can be carried conveniently.

| Technical Specification |   |
|-------------------------|---|
| Material                | 600D Polyester                                    |
| Dimensions LxWxH        | 600 x 300 x 300 mm<br>(23 1/2 x 11 7/8 x 11 7/8") |
| Weight                  | 3 kg (6.6 lbs)                                    |

**Tools not included**  
Order-No. 262 443 700



## Systainers

### Systainer II®

for welding kit / iron kit

Height 157.5 mm (6 3/16")  
Dimensions (inside) HxWxD 124x377x277 mm  
(4 7/8 x 14 7/8 x 10 3/4")  
without insets

Order-No. 237 000 100



### Systainer IV®

for HF125

Height 315 mm (12 3/8")  
Dimensions (inside) HxWxD 281x360x272 mm  
(11 1/16 x 14 3/16 x 10 3/4")  
without insets

Order-No. 114 200 010



### Systainer III®

for KFU / DOOR TRIMMER

Height 210 mm (8 1/4")  
Dimensions (inside) HxWxD 176x375x274 mm  
(6 7/8 x 14 3/4 x 10 3/4")  
without insets

Order-No. 223 911 915



### Maxi-Systainer III®

for HF 150

Height 210 mm (8 1/4")  
Dimensions (inside) HxWxD 168x545x330 mm  
(6 1/2 x 21 1/2 x 13")  
without insets

Order-No. 114 100 310



### Systainer V®

for GAP-FILL-cartridges

Weight 3.1 kg (6.8 lbs)  
Height 420 mm (16 1/2")  
Dimensions (inside) HxWxD 395x360x272 mm  
(15 1/2 x 14 3/16 x 10 3/4")  
without cartridge insert

Order-No. 499 001 010

